



onda

• LOCALIZED FAT • CELLULITE • SKIN TIGHTENING



coolwaves®  
|||||

CLINICAL  
RESULTS

[www.thecoolwaves.com](http://www.thecoolwaves.com)



# ONDA BY DEKA REVOLUTIONISES BODY CONTOURING WITH COOLWAVES®.

Onda is the first and only system that uses **Coolwaves®**, special microwaves that selectively target fat cells to reduce fat deposits.

**Coolwaves®** intervene effectively, safely and in non-invasive way on the main blemishes requiring body remodelling:

## LOCALIZED FAT-CELLULITE-SKINFLABBINESS

These special waves accelerate fat cells metabolism and make fat cells sweat until they are gone!

**COOLWAVES®: make your body to stay in shape and your skin to stay cool!**

Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 1

1/2



Before treatment



45 days after 1 single session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy



Action on: Localized Fat and Laxity  
Treated Area: Abdomen - Bra Line  
Sessions: 1

2/2



Before treatment



45 days after 1 single session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy

Action on: Localized Fat  
Treated Area: Abdomen  
Sessions: 2



Before treatment



Follow-up after the 2<sup>nd</sup> session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy



Action on: Cellulite  
Treated Areas: Thighs - Knees  
Sessions: 3

1/2



Before treatment



Follow-up after the 3<sup>rd</sup> session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy

Action on: Cellulite  
Treated Area: Thighs  
Sessions: 3

2/2



Before treatment



Follow-up after the 3<sup>rd</sup> session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy





Action on: Cellulite and Localized Fat  
Treated Area: Trochanter  
Sessions: 4



Before treatment



Follow-up after the 4<sup>th</sup> session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy

Action on: Cellulite

Treated Area: Trochanter - Buttocks - Thighs

Sessions: 2



Before treatment



35 days after the 2<sup>nd</sup> session

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy



Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 2

1/2



Before treatment



30 days after the 2<sup>nd</sup> session

Waist reduction: 10 cm for the high abdomen and 5 cm for the lower abdomen

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy

Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 2

2/2



Before treatment



30 days after the 2<sup>nd</sup> session

Waist reduction: 10 cm for the high abdomen and 5 cm for the lower abdomen

Courtesy of Prof. Paolo Bonan M.D., Florence - Italy



Action on: Localized Fat and Laxity  
Treated Area: Bra Line  
Sessions: 1

1/2



Before treatment



30 days after 1 single session

Courtesy of Idaga Centre, Ondarroa - Spain

Action on: Localized Fat and Laxity  
Treated Area: Bra Line  
Sessions: 1

2/2



Before treatment



30 days after 1 single session

Courtesy of Idaga Centre, Ondarroa - Spain




Action on: Cellulite

Treated Areas: Trochanter - Buttocks - Thighs

Sessions: 1



Before treatment



50 days after 1 single session

Courtesy of Prof. Rosario Perrotta M.D. and Maria Stella Tarico M.D., Catania - Italy

Action on: Cellulite  
Treated Areas: Thighs - Knees  
Sessions: 3



Before treatment



Follow-up after the 3<sup>rd</sup> session

Courtesy of Prof. Rosario Perrotta M.D. and Maria Stella Tarico M.D., Catania - Italy





Action on: Laxity  
Treated Areas: Abdomen  
Sessions: 1



Before treatment



30 days after 1 single session

The patient had an important flabbiness problem due to two pregnancies with quite "big babies". She had already tried other procedures before Onda without significant results.

Courtesy of Francesco Asta M.D., Comiso (RG) - Italy

Action on: Localized Fat and Laxity  
Treated Areas: Bra Line  
Sessions: 2



Before treatment



30 days after the 2<sup>nd</sup> session

Courtesy of Francesco Asta M.D., Comiso (RG) - Italy



Action on: Localized Fat and Laxity  
Treated Areas: Anterolateral Flank  
Sessions: 1



Before treatment



30 days after 1 single session

Courtesy of Francesco Asta M.D., Comiso (RG) - Italy

Action on: Localized Fat and Laxity  
Treated Areas: Abdomen - Anterolateral Flank  
Sessions: 3



Before treatment



Follow-up after the 2<sup>nd</sup> session



Follow-up after the 3<sup>rd</sup> session

Courtesy of Ciprian Constantin Flueraș, M.D. - C Beauty anti-aging clinic, Brasov - Romania



Action on: Cellulite  
Treated Areas: Thighs  
Sessions: 2



Before treatment



Follow-up after the 1<sup>st</sup> session.



Follow-up after the 2<sup>nd</sup> session.

Courtesy of Ciprian Constantin Flueraș, M.D. - C Beauty anti-aging clinic, Brasov - Romania

Action on: Localized Fat and Laxity  
Treated Areas: Abdomen  
Sessions: 1



Before treatment



15 days after 1 single session

Courtesy of Diana Hvas, Perfecting Beauty, Rødovre - Denmark



Action on: Cellulite  
Treated Areas: Thighs-Knees  
Sessions: 2



Before treatment



Follow-up after the 2<sup>nd</sup> session

Courtesy of Diana Hvas, Perfecting Beauty, Rødovre - Denmark

Action on: Cellulite

Treated Area: Trochanter - Buttocks

Sessions: 1



Before treatment



30 days after 1 single session

Courtesy of Silvia Stevan M.D., Florence - Italy





Action on: Laxity  
Treated Area: Arms  
Sessions: 2

1/2



Before treatment



Follow-up after the 2<sup>nd</sup> session

Courtesy of Silvia Stevan M.D., Florence - Italy

Action on: Laxity  
Treated Area: Arms  
Sessions: 2

2/2



Before treatment



Follow-up after the 2<sup>nd</sup> session

Courtesy of Silvia Stevan M.D., Florence - Italy



Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 1

1/2



Before treatment



30 days after 1 single session


Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 1

2/2



Before treatment



30 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Cellulite

Treated Area: Trochanter - Buttocks - Thighs

Sessions: 1



Before treatment



30 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Cellulite  
Treated Area: Inner Thighs  
Sessions: 1



Before treatment



30 days after 1 single session



60 days after 1 single session

Courtesy Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 1



Before treatment



60 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Laxity  
Treated Area: Abdomen  
Sessions: 1



Before treatment



60 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 1



Before treatment



45 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Cellulite  
Treated Area: Thighs  
Sessions: 2



Before treatment



60 days after the 2<sup>nd</sup> treatment

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Laxity  
Treated Area: Tightening  
Sessions: 3



Before treatment



30 days after the 3<sup>rd</sup> treatment

Patient with skin laxity problems in the abdominal area close to the navel, despite his intense sports activity and good muscular tone.

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Laxity  
Treated Area: Arms  
Sessions: 3



Before treatment



30 days after the 3<sup>rd</sup> treatment

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Laxity  
Treated Area: Abdomen  
Sessions: 3



Before treatment



30 days after the 3<sup>rd</sup> treatment

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Laxity  
Treated Area: Abdomen  
Sessions: 1



Before treatment



30 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Laxity  
Treated Area: Abdomen  
Sessions: 4



Before treatment



30 days after the 4<sup>th</sup> treatment

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Localized Fat and Laxity  
Treated Area: Abdomen - Bra Line  
Sessions: 3



Before treatment



30 days after the 3<sup>rd</sup> treatment

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy





Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 1



Before treatment



30 days after 1 single session

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Cellulite and Localized Fat  
Treated Area: Buttocks and Sub-Glutes  
Sessions: 4



Before treatment



30 days after the 4<sup>th</sup> treatment

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Localized Fat  
Treated Area: Submental  
Sessions: 4



Before treatment



After 4 sessions

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Laxity  
Treated Area: Submental  
Sessions: 4



Before treatment



After 4 sessions

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy



Action on: Laxity  
Treated Area: Submental  
Sessions: 4



Before treatment



After 4 sessions

Courtesy of Benedetta Salsi M.D., Reggio Emilia - Italy

Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 3



Before treatment



30 days after the 3<sup>rd</sup> treatment

Courtesy of Maria Teresa Salianni M.D., Modugno (BA) - Italy



Action on: Laxity  
Treated Area: Abdomen  
Sessions: 2



Before treatment



Follow-up after the 2<sup>nd</sup> session

Courtesy of Anna Micalizzi M.D., Giarre (CT) - Italy

Action on: Localised Fat

Treated Area: Shoulder Blades and Anterolateral Flank

Sessions: 1



Before treatment



90 days after 1 single session

Courtesy of Keza Clinique, Craiova - Romania





Action on: Laxity  
Treated Area: Arms  
Sessions: 2



Before treatment



Follow-up after the 3<sup>rd</sup> session

Courtesy of Giovanni Turra M.D. - Plastic Surgeon, Rudiano (BS) - Italy

Action on: Cellulite

Treated Areas: Trochanter - Under Buttocks - Thighs

Sessions: 1



Before treatment.  
The "hole" visible under the left buttock is due to the muscle contraction requested by the doctor to her patient.



5 months after 1 single session.  
It is possible to observe an important reduction of the "hole" under the left buttock when the doctor asked to her patient to contract the muscle.

Courtesy of Aura Ruiz, M.D., Bogotá - Colombia



Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 2



Before treatment



35 days after the 2<sup>nd</sup> session

Courtesy of DKSH Japan Corporation - Japan

Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 2



Before treatment



35 days after the 2<sup>nd</sup> session

Courtesy of Cinzia Incandela M.D., Palermo - Italy



Action on: Localized Fat and Laxity  
Treated Area: Abdomen  
Sessions: 5



Before treatment



4 months after the 1<sup>st</sup> session

Courtesy of Paolo Luccioli M.D., Florence - Italy

Action on: Localized Fat  
Treated Area: Submental  
Sessions: 3



Before treatment



After 3 sessions

Courtesy of Giovanni Gallo M.D., Canicattì - Italy



## Disclaimer

The present material is merely illustrative. The policy described is not of a suggestive nature, it is not intended to be exclusive and/or the best for the treatment of this case and it is not intended to substitute or influence in any way the diligence, prudence and expertise of the operator.

Although the present material is updated until the editing date and is considered reliable, the writer is not responsible for errors, omissions, imprecision, lack of completeness, punctuation errors or for the information herein contained.

The present document may contain technical imprecision and typographical errors or omissions.

Except for the rules bound by law, the writer specifically:

a) decline any responsibility for accident, damage or prejudicial consequence of any type and/or nature which could derive from the use of any device, system or technology described in the present material;

d) does not assume any responsibility for consequence deriving from the action, omission and/or errors of users/operators or for any loss or damage suffered or caused as a consequence of the use of the information published in one of these pages;

c) is not responsible for any damage, claim, request or legal action, whether direct or indirect, specific, incidental, consequential or punitive, resulting from the use of this document and/or the information herein contained.

The information contained in the present document:

a) is not intended to be a deal or proposal, nor does it constitute any contractual obligation towards those who read or use these pages;

b) can, at the exclusive and indisputable discretion of the writer, be deleted, modified and/or updated at any moment without notice.

All the information contained in this document is property of DEKA M.E.L.A. s.r.l.





# DEKA

Innate Ability

DEKA M.E.L.A. s.r.l.

Via Baldanzese, 17 - 50041 Calenzano (FI) - Italy  
Ph. +39 055 88.74.942 - Fax +39 055 88.32.884



[www.dekalaser.com](http://www.dekalaser.com)